Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1881	(electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2))	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:12
L3	191	I2 and electrophore\$4	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:12
L4	700	(electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2) with (differ\$7 vari\$8 vary\$4 high\$4 low\$4 great\$4 less\$4))	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:15
L6	60	I3 and (electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2) with (differ\$7 vari\$8 vary\$4 high\$4 low\$4 great\$4 less\$4))	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:26
L7	808	204/600.ccls. or 204/450.ccls.	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:25
L8	11	I7 and (electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2))	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:26
S1	57	\$8"762519"	US-PGPUB; USPAT	OR	OFF	2005/07/13 14:54
S2	1	"5944685".pn.	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:03
S3	1	"3865711".pn.	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:24
S4	63	"204"/\$.ccls. and (electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2) with (differ\$5))	US-PGPUB; USPAT	OR	OFF	2005/07/13 17:12
S5	3	S4 and electrode\$2 with (short near circuit)	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:34
S6	0	604/20.ccls. and (electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2) with (differ\$5))	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:34
S7	23	604/20.ccls. and (redox (oxid\$7 near2 reduc\$7)) near3 potential\$2	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:41
S8	0	S7 and electrode\$2 with (short near circuit)	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:34
S9	1	"5858192".pn.	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:41
S10	462	"204"/\$.ccls. and (electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2))	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:12

						•
S11	2	("204"/450-470.ccls. or 204/600-621.ccls.) and (electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2) with (differ\$5))	US-PGPUB; USPAT	OR	OFF	2005/07/13 17:13
S12	18	("204"/450-470.ccls. or 204/600-621.ccls.) and (electrode\$2 with ((redox (oxid\$7 near2 reduc\$7)) near3 potential\$2))	US-PGPUB; USPAT	OR.	OFF	2005/07/13 17:15
S13	37	("204"/450-470.ccls. or 204/600-621.ccls.) and (electrode\$2 with ((redox oxid\$7 reduc\$7) near3 potential\$2))	US-PGPUB; USPAT	OR	OFF	2005/07/13 17:20
S14	37	(204/450-470.ccls. or 204/600-621.ccls.) and (electrode\$2 with ((redox oxid\$7 reduc\$7) near3 potential\$2))	US-PGPUB; USPAT	OR	OFF	2005/07/13 17:25
S15	59	429/2.ccls.	US-PGPUB; USPAT	OR	OFF	2005/07/22 12:25
S16	92	(204/450-470.ccls. or 204/600-650.ccls.) and galvan\$7	US-PGPUB; USPAT	OR	OFF	2005/07/14 09:04
S17	. 2	cabilly.in. and "204"/\$.ccls. and (electrode\$4 with(copper cu!))	US-PGPUB; USPAT	OR	OFF	2005/07/14 09:08
S18	1	"6379516".pn.	US-PGPUB; USPAT	OR ·	OFF	2005/07/14 10:57
S19	43	\$6"188836"	JPO	OR	OFF	2005/07/14 11:01
S20	250	galvan\$7 same electrophore\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	OFF	2005/07/14 11:12
S21	194	S20 not galvanized	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/14 11:06
S22	166	S21 not galvanometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/14 11:06
S23	88	galvanic\$2 same electrophore\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/14 14:32

S24	77	204/550.ccls.	US-PGPUB;	OR	OFF	2005/07/14 12:15
			USPAT;			
			USOCR;			
			EPO; JPO;	, ,		
			DERWENT			